	Application No.	Applicant(s)		
Notice of Allowability	10/695,544	WORM ET AL.		
	Examiner	Art Unit		
	Joseph L. Perrin, Ph.D.	1746		
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. 'This application is subject to	plication. If not include will be mailed in due	led course. THIS	
1. This communication is responsive to amendment filed 31 M	<u>May 2005</u> .			
2.   The allowed claim(s) is/are 1-30.				
3. The drawings filed on 29 October 2003 are accepted by the	e Examiner.			
4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	e been received. be been received in Application No cuments have been received in this r of this communication to file a reply of	national stage applica		
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give			IOTICE OF	
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) ☐ including changes required by the Notice of Draftspers  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the possible of the possible	son's Patent Drawing Review (PTO-9 s Amendment / Comment or in the Of .84(c)) should be written on the drawin he header according to 37 CFR 1.121(d sit of BIOLOGICAL MATERIAL m	office action of the property of the property of the front (not the di).	·	
attached Examiner's comment regarding REQUIREMENT I	FOR THE DEPOSIT OF BIOLOGICA	L MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5.  Notice of Informal Pa	stant Application (DT)	O 152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6.  Interview Summary (		J-102)	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Date	Paper No./Mail Date  Examiner's Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit	8.  Examiner's Statemen	nt of Reasons for Allo	wance	
of Biological Material	9.  Other			
•	•			
	•			



Application/Control Number: 10/695,544 Page 2

Art Unit: 1746

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. David Beatty on 13 July 2005.
- 3. The application has been amended as follows:

## Cancel claim 31.

## Allowable Subject Matter

- 4. Claims 1-30 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:
- 6. The closest prior art reference of record, U.S. Patent No. 5,904,737 to PRESTON, fails to teach or reasonably suggest each and every limitation of the instant invention. Specifically, PRESTON discloses a dry cleaning method including transferring densified gas based solution from a storage tank to a wash tank to clean a dry-cleanable article, returning the densified gas based solution to a storage tank, transferring a second densified gas based solution from a storage tank to the wash tank to clean the dry-cleanable article, and returning the second densified gas based solution to a storage tank. However, PRESTON does not teach or reasonably suggest the

Application/Control Number: 10/695,544 Page 3

Art Unit: 1746

storage tank being a divided working tank with first and second liquid chambers for the first and second densified gas based dry-cleaning solutions, respectively, such that the chambers share a common vapor space (as in claims 1 & 24) or including the step of transferring a first volume of a first carbon dioxide based dry-cleaning solution from a first liquid chamber to a third liquid chamber of a divided working tank which precedes a transferring step of a first solution from the first chamber to a wash tank (as in claim 8).

- 7. For at least the foregoing reasons, the claims are believed to recite patentable subject matter.
- 8. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph L. Perrin, Ph.D. whose telephone number is (571)272-1305. The examiner can normally be reached on M-F 7:00-4:30, except alternate Fridays.
- 10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael E. Barr can be reached on (571)272-1414. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

**Art Unit: 1746** 

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Joseph L. Perrin, Ph.D. Primary Examiner

Art Unit 1746

jlp